

## SAFETY DATA SHEET PEPPERMINT AIROMAIR

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

- Product Name: Peppermint Airomair
- Product Part Number: Peppermint Airomair

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

- Use of the substance/mixture:
- Aromatic air reodorant.

#### 1.3 Details of the supplier of the safety data sheet

- Name of Supplier: Dalesauna Limited
- Address of Supplier: Jubilee Court, Copgrove  
North Yorkshire, HG3 3TB
- Telephone: +44(0)1423 798630
- Email: sales@dalesauna.co.uk

#### 1.4 Emergency telephone number

- Emergency Telephone: +44(0)1423 798630

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

- CLP: Skin Sens. 1, Asp. Tox. 1, Flam. Liq. 3, Skin Irrit. 2, Eye Irrit. 2, Aquatic Chronic 1, Aquatic Acute 1, Aquatic Chronic 2

#### 2.2 Label elements



GHS02



GHS08



GHS09



GHS07

- Signal Word: Danger, Warning

#### Hazard statements

- H226 - Flammable liquid and vapour.
- H315 - Causes skin irritation.
- H319 - Causes serious eye irritation.
- H317 - May cause an allergic skin reaction.
- H304 - May be fatal if swallowed and enters airways.
- H410 - Very toxic to aquatic life with long lasting effects.

#### Precautionary statements

- P102 - Keep out of reach of children.
- P403+P235 - Store in a well-ventilated place. Keep cool.
- P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
- P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P501 - Dispose of contents/container to an authorised waste collection point
- P273 - Avoid release to the environment.

#### 2.3 Other hazards

---

**SECTION 2: Hazards identification (....)**

- Contains: L-Limonene  
Eucalyptol
- 

**SECTION 3: Composition/information on ingredients****3.2 Mixtures****I-Limonene**

CAS Number: 5989-54-8  
EC Number: 227-815-6  
Concentration: 30-40%  
Categories: Flam. Liq. 3, Skin Irrit. 2, Skin Sens. 1, Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 1  
Symbols: GHS02, GHS07, GHS08, GHS09  
H Statements: H226;H304;H315;H317;H400;H410

**alpha-Pinene**

CAS Number: 80-56-8  
EC Number: 201-291-9  
Concentration: 10-15%  
Categories: Flam. Liq. 3, Skin Irrit. 2, Skin Sens. 1, Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 1  
Symbols: GHS02, GHS07, GHS08, GHS09  
H Statements: H226;H304;H315;H317;H400;H410

**beta-Pinene**

CAS Number: 127-91-3  
EC Number: 204-872-5  
Concentration: 10-15%  
Categories: Flam. Liq. 3, Skin Irrit. 2, Skin Sens. 1, Asp. Tox. 1  
Symbols: GHS02, GHS07, GHS08  
H Statements: H226;H304;H315;H317

**Myrcene**

CAS Number: 123-35-3  
EC Number: 204-622-5  
Concentration: 5-10%  
Categories: Flam. Liq. 3, Skin Irrit. 2, Eye Irrit. 2, Asp. Tox. 1  
Symbols: GHS02, GHS07, GHS08  
H Statements: H226;H304;H315;H319

**Eucalyptol**

CAS Number: 470-82-6  
EC Number: 207-431-5  
Concentration: 20-30%  
Categories: Flam. Liq. 3, Skin Sens. 1B  
Symbols: GHS02, GHS07  
H Statements: H226;H317

**3-Octanol**

CAS Number: 589-98-0  
EC Number: 209-667-4  
Concentration: 1-5%  
Categories: Skin Irrit. 2, Eye Irrit. 2  
Symbols: GHS07  
H Statements: H315;H319

**Menthone**

---

**SECTION 3: Composition/information on ingredients (....)**

CAS Number: 10458-14-7  
EC Number: 233-944-9  
Concentration: 1-5%  
Categories: Flam. Liq. 3, Aquatic Chronic 3  
Symbols: GHS02  
H Statements: H226;H412

**p-Mentha-1,4-diene**

CAS Number: 99-85-4  
EC Number: 202-794-6  
Concentration: 1-5%  
Categories: Flam. Liq. 3, Asp. Tox. 1  
Symbols: GHS02, GHS08  
H Statements: H226;H304

**p-Cymene**

CAS Number: 99-87-6  
EC Number: 202-796-7  
Concentration: 1-5%  
Categories: Flam. Liq. 3, Asp. Tox. 1, Aquatic Chronic 2  
Symbols: GHS02, GHS08, GHS09  
H Statements: H226;H304;H411

**Terpinolene**

CAS Number: 586-62-9  
EC Number: 209-578-0  
Concentration: <0.5%  
Categories: Flam. Liq. 3, Skin Irrit. 2, Skin Sens. 1, Asp. Tox. 1, Aquatic Chronic 2  
Symbols: GHS02, GHS07, GHS08, GHS09  
H Statements: H226;H304;H315;H317;H411

**Menthol**

CAS Number: 2216-51-5  
EC Number: 218-690-9  
Concentration: 1-5%  
Categories: Skin Irrit. 2  
Symbols: GHS07  
H Statements: H315

---

**SECTION 4: First aid measures****4.1 Description of first aid measures**

- Wash contaminated clothing before reuse.

**Contact with eyes**

Immediately rinse with water. Continue to rinse for at least 15 minutes. Obtain medical attention immediately.

**Contact with skin**

Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention.

**Ingestion**

DO NOT INDUCE VOMITING. Rinse mouth thoroughly. Drink plenty of water. Get medical attention immediately.

**Inhalation**

Move the exposed person to fresh air at once. Keep the affected person warm and at rest. Get prompt medical attention.

---

**SECTION 4: First aid measures (....)****4.2 Most important symptoms and effects, both acute and delayed**

- Causes serious eye irritation.
- Prolonged or repeated exposure may cause irritation. May cause an allergic skin reaction.
- : Liquid irritates mucous membranes and may cause abdominal pain if swallowed. Very small amounts aspirated into lungs during ingestion or subsequent vomiting may cause severe lung congestion.
- Vapour from this chemical may be hazardous when inhaled in high concentrations.

**4.3 Indication of any immediate medical attention and special treatment needed**

- Refer to section 4.1.
- 

**SECTION 5: Firefighting measures****5.1 Extinguishing media**

- Carbon dioxide (CO2). Alcohol resistant foam. Dry chemicals, sand, dolomite etc. Water spray. Do not use water jet

**5.2 Special hazards arising from the substance or mixture**

- May emit toxic fumes if burnt. Vapours may form explosive mixtures with air.

**5.3 Advice for firefighters**

- Wear self-contained breathing apparatus. Keep run-off water out of sewers and water sources.
- 

**SECTION 6: Accidental release measures****Spillage causes slippery surface****6.1 Personal precautions, protective equipment and emergency procedures**

- Wear suitable gloves and eye/face protection

**6.2 Environmental precautions**

- Do not allow to enter the surface water drain, sewers, or ground.

**6.3 Methods and material for containment and cleaning up**

- Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate. Ensure good ventilation. Wear necessary protective equipment. Absorb in vermiculite, dry sand or earth and place into containers. Containers with collected spillage must be properly labeled with correct contents and hazard symbol.

**6.4 Reference to other sections**

- See section 8 for further information on personal protective equipment. See section 13 for disposal.
- 

**SECTION 7: Handling and storage****7.1 Precautions for safe handling**

- Keep away from heat, sparks and open flame. Static electricity and formation of sparks must be prevented. Provide good ventilation.
- Avoid spilling, skin and eye contact. Avoid inhalation of vapours.

**7.2 Conditions for safe storage, including any incompatibilities**

- Keep in cool, dry, ventilated storage and closed containers. Use flammable liquid storage requirements.

**7.3 Specific end use(s)**

- Aromatic air reodorant.
- 

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters**

- Not applicable

**8.2 Exposure controls**

---

**SECTION 8: Exposure controls/personal protection (....)****Goggles****Gloves**

- VENTILATION: Provide sufficient ventilation during operations which cause vapour formation.
  - PROCESS CONDITIONS: Provide eyewash station. Protect against static discharge.
  - RESPIRATORS: No specific recommendation made.
  - PROTECTIVE GLOVES: Chemical resistant gloves required for prolonged or repeated contact.
  - EYE PROTECTION: Wear approved chemical safety goggles where eye exposure is reasonably probable.
  - HYGIENIC WORK PRACTICES: Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated.
- 

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

- Physical state: Liquid
- Solubility in water: Insoluble in water
- Flashpoint: > 42°C
- Colour: Colourless / Pale yellow
- Odour: Aromatic
- Boiling Point (°C, interval): N/D
- Melting / Freezing Point: <0
- Density / Specific Gravity (g/ml): 0.880 @ 20°C
- Vapour Pressure: N/D kPa @ 20°C
- Autoignition Temperature: > 200
- Flammability Limit - Upper (%): N/D
- Flammability Limit - Lower (%): N/D

**9.2 Other information**

- No additional information available.
- 

**SECTION 10: Stability and reactivity****10.1 Reactivity**

- No dangerous reactions known.

**10.2 Chemical stability**

- Normally stable.

**10.3 Possibility of hazardous reactions**

- Refer to section 10.1 on reactivity.

**10.4 Conditions to avoid**

- Avoid heat, flames and other sources of ignition.

**10.5 Incompatible materials**

- Strong acids. Strong alkalies. Strong oxidising agents.

**10.6 Hazardous decomposition products**

- Non Known.
- 

**SECTION 11: Toxicological information****11.1 Information on toxicological effects**

- Vapour from this chemical may be hazardous when inhaled in high concentrations.
  - : Liquid irritates mucous membranes and may cause abdominal pain if swallowed. Very small amounts aspirated into lungs during ingestion or subsequent vomiting may cause severe lung congestion.
  - Prolonged or repeated exposure may cause irritation. May cause an allergic skin reaction.
-

---

**SECTION 11: Toxicological information (....)**

- Causes serious irritation
- 

**SECTION 12: Ecological information****12.1 Toxicity**

- Do not allow to enter soil, waterways or sewer.

**12.2 Persistence and degradability**

- Only slightly biodegradable.

**12.3 Bioaccumulative potential**

- No additional information available.

**12.4 Mobility in soil**

- immiscible with water

**12.5 Results of PBT and vPvB assessment**

- No additional information available.

**12.6 Other adverse effects**

- No other effects known.
- 

**SECTION 13: Disposal considerations****13.1 Waste treatment methods**

- Dispose of in accordance with Local Authority requirements. Use a licensed Waste contractor.
- 

**SECTION 14: Transport information****Flammable Liquid****ENVIRONMENTALLY HAZARDOUS****14.1 UN number or ID number**

- UN No.: 1993

**14.2 UN proper shipping name**

- Proper Shipping Name: FLAMMABLE LIQUID, N.O.S.

**14.3 Transport hazard class(es)**

- Hazard Class: 3

**14.4 Packing group**

- Packing Group: III

**14.5 Environmental hazards**

- Marine Pollutant
- ENVIRONMENTALLY HAZARDOUS

**14.6 Special precautions for user**

- Contains: L-Limonene  
Eucalyptol

**14.7 Transport in bulk according to Annex II of Marpol and the IBC Code**

---

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

---

---

**SECTION 15: Regulatory information (....)**

- Health and Safety at Work Act 1974. The Control of Substances Hazardous to Health Regulations. Chemicals (Hazard Information & Packaging) Regulations (CHIP). European Regulation (EC) No 1907/2006 Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). European Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures (CLP), adopting in the EU the Globally Harmonised System (GHS).
- GUIDANCE NOTES: Occupational Exposure Limits EH40.

**15.2 Chemical safety assessment**

- Not required.

---

**SECTION 16: Other information**

Text not given with phrase codes where they are used elsewhere in this safety data sheet:- H226: Flammable liquid and vapour. H304: May be fatal if swallowed and enters airways. H315: Causes skin irritation. H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H400: Very toxic to aquatic life. H410: Very toxic to aquatic life with long lasting effects. H411: Toxic to aquatic life with long lasting effects. H412: Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made as to its accuracy, reliability or completeness. It is the user's responsibility to satisfy themselves of such information for their own particular use.

--- end of safety datasheet ---

---