

DaleSauna^o

SAFETY DATA SHEET

SEA BREEZE AIROMAIR

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING:

1.1 PRODUCT IDENTIFIER: SEA BREEZE AIROMAIR

1.2. RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST

RELEVANT IDENTIFIED USES: Aromatic air reodorant

USES ADVISED AGAINST: No additional information available.

1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

SUPPLIER: Dalesauna Ltd
Jubilee Court, Copgrove
North Yorkshire, HG3 3TB

TELEPHONE: +44(0)1423 798630

E-MAIL: sales@dalesauna.co.uk

1.4 EMERGENCY TELEPHONE NUMBER

EMERGENCY TELEPHONE: 01423 798630

2. HAZARDS IDENTIFICATION:

2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

CLASSIFICATION (EC 1272/2008 (CLP)):

Physical : Flam. Liq. 3 - H226
Health: Skin Irrit. 2 - H315, Skin Sens. 1 - H317, Asp. Tox. 1 – H304
Environmental: Aquatic Chronic 2 - H411

2.2 LABEL ELEMENTS

LABEL IN ACCORDANCE WITH (EC 1272/2008 (CLP)):



SIGNAL WORD:

Danger

HAZARD STATEMENTS:

H226 Flammable liquid and vapour.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H304 May be fatal if swallowed and enters airways.
H411 Toxic to aquatic life with long lasting effects.

PRECAUTIONARY STATEMENTS:

P102 Keep out of reach of children.
 P210 Keep away from heat/sparks/open flames/hot surfaces. — No smoking.
 P303/361/353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
 P301/310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
 P273 Avoid release to the environment.
 P501 Dispose of contents/container as hazardous waste.

SUPPLEMENTARY PRECAUTIONARY STATEMENTS:

P233 Keep container tightly closed.
 P240 Ground/bond container and receiving equipment.
 P241 Use explosion-proof electrical/ventilating/lighting/.../equipment.
 P242 Use only non-sparking tools.
 P243 Take precautionary measures against static discharge.
 P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
 P264 Wash skin thoroughly after handling.
 P272 Contaminated work clothing should not be allowed out of the workplace.
 P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P302/352 IF ON SKIN: Wash with plenty of soap and water.
 P331 Do NOT induce vomiting.
 P333/313 If skin irritation or rash occurs: Get medical advice/attention.
 P362 Take off contaminated clothing and wash before reuse.
 P391 Collect spillage.
 P370/378 In case of fire: Use dry powder, alcohol resistant foam, CO2 for extinction.
 P403/235 Store in a well-ventilated place. Keep cool.
 P405 Store locked up.

2.3 OTHER HAZARDS

No additional information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS:**3.1 SUBSTANCES**

Not applicable.

3.2 MIXTURES

INGREDIENT NAME:	EINECS	CAS No.	CONTENT
EUCALYPTUS OIL	-	-	60-80 %
Classification (EC 1272/2008 (CLP))			
Flam.Liq. 3 - H226, Skin Irrit. 2 - H315, Skin Sens. 1 - H317, Aqua Chronic 2 - H411, Asp.Tox 1 - H304			

INGREDIENT NAME:	EINECS	CAS No.	CONTENT
PINE NEEDLE OIL	84012-35-1	8023-99-2	10-30 %
Classification (EC 1272/2008 (CLP))			
Flam.Liq. 3 - H226, Skin Irrit. 2 - H315, Skin Sens. 1 - H317, Aqua Acute 1 - H400, Aqua Chronic 1 - H410, Asp.Tox 1 - H304			

INGREDIENT NAME:	EINECS	CAS No.	CONTENT
5-METHYL-2-ISO-PROPYL CYCLOHEXANOL	201-939-0	89-78-1	1-5 %
Classification (EC 1272/2008 (CLP))			
Skin Irrit. 2 - H315			

The full text for all R-phrases and H-statements are shown in section 16

COMPOSITION COMMENTS:

A blend of essential oils

4. FIRST AID MEASURES:

4.1 DESCRIPTION OF FIRST AID MEASURES

INHALATION: Move the exposed person to fresh air at once. Keep the affected person warm and at rest. Get prompt medical attention.

INGESTION: DO NOT INDUCE VOMITING! Rinse mouth thoroughly. Drink plenty of water. Get medical attention immediately!

SKIN: Remove contaminated clothing. Rinse with water. Contact physician if discomfort continues.

EYES: Immediately rinse with water. Continue to rinse for at least 15 minutes. Obtain medical attention.

4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

INHALATION: Vapour from this chemical may be hazardous when inhaled in high concentrations.

INGESTION: Liquid irritates mucous membranes and may cause abdominal pain if swallowed. Very small amounts aspirated into lungs during ingestion or subsequent vomiting may cause severe lung congestion.

SKIN: Prolonged or repeated exposure may cause irritation. May cause an allergic skin reaction.

EYES: Irritating to eyes.

4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

Refer to section 4.1

5. FIREFIGHTING MEASURES:

5.1 EXTINGUISHING MEDIA

Carbon dioxide (CO₂). Alcohol resistant foam. Dry chemicals, sand, dolomite etc. Water spray. Do not use water jet.

5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE

May emit toxic fumes if burnt. Vapours may form explosive mixtures with air.

5.3 ADVICE FOR FIREFIGHTERS

Wear self-contained breathing apparatus. Keep run-off water out of sewers and water sources.

6. ACCIDENTAL RELEASE MEASURES:

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

6.1.1 FOR NON-EMERGENCY PERSONNEL

Wear suitable gloves and eye/face protection.

6.1.2 FOR EMERGENCY RESPONDERS

Wear suitable gloves and eye/face protection.

6.2 ENVIRONMENTAL PRECAUTIONS

Do not allow to enter the surface water drain, sewers, or ground

6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP

Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate. Ensure good ventilation. Wear necessary protective equipment. Absorb in vermiculite, dry sand or earth and place into containers. Containers with collected spillage must be properly labeled with correct contents and hazard symbol.

6.4 REFERENCE TO OTHER SECTIONS

See section 8 for further information on personal protective equipment. See section 13 for disposal.

7. HANDLING AND STORAGE:

7.1 PRECAUTIONS FOR SAFE HANDLING

Keep away from heat, sparks and open flame. Static electricity and formation of sparks must be prevented. Provide good ventilation. Avoid spilling, skin and eye contact. Avoid inhalation of vapours.

7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Keep in cool, dry, ventilated storage and closed containers. Use flammable liquid storage requirements

7.3 SPECIFIC END USE(S)

Aromatic air reodorant

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION:

8.1 CONTROL PARAMETERS

INGREDIENT NAME: Not applicable **CAS No.:** **STD:** **LT EXP. 8 HRS:** **ST EXP. 15 MIN:**

INGREDIENT COMMENTS:
Not applicable

8.2 EXPOSURE CONTROLS

8.2.1 Appropriate engineering controls

VENTILATION: Provide sufficient ventilation during operations which cause vapour formation.

PROTECTIVE EQUIPMENT:



8.2.2 Individual protection measures, such as personal protective equipment

PROCESS CONDITIONS:
Provide eyewash station. Protect against static discharge.

RESPIRATORS: No specific recommendation made.

PROTECTIVE GLOVES:
Chemical resistant gloves required for prolonged or repeated contact.

EYE PROTECTION:
Wear approved chemical safety goggles where eye exposure is reasonably probable.

HYGIENIC WORK PRACTICES:
Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated.

8.2.3 Environmental exposure controls

No additional information available.

9. PHYSICAL AND CHEMICAL PROPERTIES:

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:	Clear liquid.		
COLOUR:	Pale yellow		
ODOUR/TASTE:	Aromatic		
SOLUBILITY DESCRIPTION:	Insoluble		
BOILING POINT (°C, interval):	N/D	PRESSURE:	
MELT./FREEZ. POINT (°C, interval):	<0		
DENSITY/SPECIFIC GRAVITY (g/ml):	0.840	TEMPERATURE (°C):	20
VAPOUR PRESSURE:	N/D	kPa	TEMPERATURE (°C): 20
pH-VALUE, CONC. SOLUTION:	N/A		
FLASH POINT (°C):	> 42	METHOD:	CC (Closed cup)
AUTO IGNITION TEMP. (°C):	>200		
FLAMMABILITY LIMIT - LOWER(%):	N/D		
FLAMMABILITY LIMIT - UPPER(%):	N/D		

9.2 OTHER INFORMATION

No additional information available.

10. STABILITY AND REACTIVITY:

10.1 REACTIVITY

No dangerous reactions known

10.2 CHEMICAL STABILITY

Normally stable.

10.3 POSSIBILITY OF HAZARDOUS REACTIONS

Refer to section 10.1 on reactivity.

10.4 CONDITIONS TO AVOID

Avoid heat, flames and other sources of ignition.

10.5 INCOMPATIBLE MATERIALS

Strong acids. Strong alkalies. Strong oxidising agents.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS

Non known

11. TOXICOLOGICAL INFORMATION:

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

INHALATION: Vapour from this chemical may be hazardous when inhaled in high concentrations.

INGESTION: Liquid irritates mucous membranes and may cause abdominal pain if swallowed. Very small amounts aspirated into lungs during ingestion or subsequent vomiting may cause severe lung congestion.

SKIN: Prolonged or repeated exposure may cause irritation. May cause an allergic skin reaction.

EYES: Irritating to eyes.

12. ECOLOGICAL INFORMATION:

12.1 TOXICITY

Do not allow to enter soil, waterways or sewer.

12.2 PERSISTENCE AND DEGRADABILITY

Only slightly biodegradable.

12.3 BIOACCUMULATIVE POTENTIAL

No additional information available.

12.4 MOBILITY IN SOIL

No additional information available.

12.5 RESULTS OF PBT AND vPvB ASSESSMENT

No additional information available.

12.6 OTHER ADVERSE EFFECTS

No other effects known

13. DISPOSAL CONSIDERATIONS:

13.1 WASTE TREATMENT METHODS

Dispose of in accordance with Local Authority requirements. Use a licensed Waste contractor.

14. TRANSPORT INFORMATION:

14.1 – 14.7

LABEL FOR CONVEYANCE:



ROAD TRANSPORT:

UN No. ROAD:	1993
ADR CLASS No.:	Class 3: Flammable liquids.
ADR PACK GR.	III, Class. Code F1
TUNNEL RESTRICTION CODE:	(D/E)
PROPER SHIPPING NAME:	Flammable Liquid, N.O.S. (Contains Eucalyptus Oil)

SEA TRANSPORT:

UN No. SEA:	1993
IMDG CLASS:	3
IMDG PACK GR.:	III
EmS No.:	F-E, S-E
MARINE POLLUTANT:	Yes.

AIR TRANSPORT:

UN No., AIR:	1993
ICAO CLASS:	3
AIR SUB CLASS:	None
AIR PACK GR.:	III

15. REGULATORY INFORMATION:

15.1. SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS / LEGISLATION SPECIFIC FOR THE SUBSTANCE OR MIXTURE

Health and Safety at Work Act 1974. The Control of Substances Hazardous to Health Regulations. Chemicals (Hazard Information & Packaging) Regulations (CHIP). European Regulation (EC) No 1907/2006 Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). European Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures (CLP), adopting in the EU the Globally Harmonised System (GHS).

GUIDANCE NOTES: Occupational Exposure Limits EH40.

15.2 CHEMICAL SAFETY ASSESSMENT

Not required.

16. OTHER INFORMATION:

REVISION DATE: 09/08/15
REV. No./REPL. SDS GENERATED: 3
SDS No.: 028

H-STATEMENTS (Full Text)

- H-226 Flammable liquid and vapour.
- H-304 May be fatal if swallowed and enters airways.
- H-315 Causes skin irritation.
- H-317 May cause an allergic skin reaction.
- H-400 Very toxic to aquatic life.
- H-411 Toxic to aquatic life with long lasting effects.

DISCLAIMER:

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief accurate and reliable as of the date indicated. However no warranty, guarantee or representation is made as to its accuracy, reliability or completeness. It is the user's responsibility to satisfy themselves as to the suitability of such information for their own particular use.